## **Claims**

- [c1] A logic circuit comprising:
  a first inverter having a plurality of linear gate transistors
  driving a first capacitive load; and
  a second inverter having a plurality of cellular gate transistors driving a second capacitive load, said second inverter being connected in series with said second inverter, wherein said second capacitive load is larger than said first capacitive load.
- [c2] The logic circuit as in claim 1, wherein said second capacitive load is between about 1.5 to about 3 times larger than said first capacitive load.
- [c3] The logic circuit as in claim 1, further comprising a plurality of first inverters and/or a plurality of second inverters.
- [c4] The logic circuit as in claim 1, wherein the logic circuit is a circuit selected from the group consisting of a buffer circuit, an oscillator circuit, a digital circuit, and a memory circuit.
- [05] The logic circuit as in claim 1, wherein said plurality of cellular gate transistors comprise a plurality of cells each

having a shape selected from the group consisting of a diamond, a square, a rectangle, a triangle, an octagon, and any combinations thereof.

- A logic circuit comprising:

  a first inverter having a plurality of linear gate transistors with a first input capacitance; and a second inverter being connected in series to said first inverter, said second inverter having a plurality of cellular gate transistors with a second input capacitance, wherein said second input capacitance is at least about one and one-half times larger than said first input capacitance.
- [c7] The logic circuit as in claim 6, wherein said second input capacitance is about three times larger than said first input capacitance.
- [08] The logic circuit as in claim 6, wherein said first inverter has a first drain capacitance and said second inverter has a second drain capacitance, wherein said second drain capacitance is at least about one and one-half times larger than said first drain capacitance.
- [c9] The logic circuit as in claim 8, wherein said second drain capacitance is about two times larger than said first drain capacitance.

- [c10] The logic circuit as in claim 6, wherein said plurality of cellular gate transistors comprise a plurality of cells each having a shape selected from the group consisting of a diamond, a square, a rectangle, a triangle, an octagon, and any combinations thereof.
- [c11] The logic circuit as in claim 6, wherein said first inverter drives a first capacitive load and said second inverter drives a second capacitive load, said second capacitive load being larger than said first capacitive load.
- [c12] The logic circuit as in claim 11, wherein said second capacitive load is between about 1.5 to about 3 times larger than said first capacitive load.
- [c13] A logic circuit comprising:
   a first inverter having a plurality of linear gate transistors with a first drain capacitance; and
   a second inverter being connected in series to said first inverter, said second inverter having a plurality of cellular gate transistors with a second drain capacitance, wherein said second drain capacitance is at least about one and one-half times larger than said first drain capacitance.
- [c14] The logic circuit as in claim 13, wherein said second drain capacitance is about two times larger than said

first drain capacitance.

- [c15] The logic circuit as in claim 14, wherein said first inverter has a first input capacitance and said second inverter has a second input capacitance, said second input capacitance being at least about one and one-half times larger than said first input capacitance.
- [c16] The logic circuit as in claim 15, wherein said second input capacitance is about three times larger than said first input capacitance.
- [c17] The logic circuit as in claim 13, wherein said first inverter drives a first capacitive load and said second inverter drives a second capacitive load, said second capacitive load being larger than said first capacitive load.
- [c18] The logic circuit as in claim 17, wherein said second capacitive load is between about 1.5 to about 3 times larger than said first capacitive load.
- [c19] The logic circuit as in claim 18, wherein the logic circuit is a circuit selected from the group consisting of a buffer circuit, an oscillator circuit, digital circuits, and memory circuits.